

Notice of Allowability

Application No.

10/072,893

Examiner

Cao (Kevin) Nguyen

Applicant(s)

WATANABE ET AL.

Art Unit

2173

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 05/16/07.
2. ☒ The allowed claim(s) is/are 1-6, 8, 11, 15-16, 18, 21, 23, 25-33, 40-44, 50-51 and 57-62.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Cao (Kevin) Nguyen
Primary Examiner
Art Unit: 2173

DETAILED ACTION
EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 23 depends on claim 11.

Claim 57 depends on claim 50.

Claims 58 and 59 depends on claim 11.

Claim 61 depends on claim 60.

Claim 62 depends on claim 60.

Allowable Subject Matter

Claims 1-6, 8, 11, 15-16, 18, 21, 23, 25-33, 40-44, 50-51 and 57-62 are allowable over the prior art of record.

The following is an examiner's statement of reasons for allowance: Applicant has claimed uniquely distinct features in the instant invention which are not found in the prior art either singularly or in combination. They are an image sensing system controller configured to control said image sensing device, said recording controller, said thumbnail-image data generating device, and said thumbnail-image data transmitting device so as to carryout sensing the image of

Art Unit: 2173

the subject, recording the main-image data on the recording medium, generating the thumbnail-image data, and transmitting the thumbnail-image data to said image data receiving apparatus in response to set a communication imaging (sensing) mode, establish a communication between said digital still camera and said image data receiving device, and depression of a shutter release button of said digital still camera, and wherein said image data receiving apparatus includes an image data receiving device configured to receive wirelessly the thumbnail-image data transmitted from said thumbnail-image data transmitting device of said digital still camera and with which the identification code has been associated; and a display controller configured to control a display device in such a manner that the thumbnail image represented by the thumbnail-image data received by said image data receiving device will be displayed in association with the corresponding identification code; either singularly or in combination, fail to anticipate or render the above limitation obvious. The closest prior art, Sato and Shiohara discloses a conventional to an image sensing and an image display a preview image to be photographed and a viewing thumbnail image can be simultaneously display on one screen; either singularly or in combination, fail to anticipate or render the above limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cao (Kevin) Nguyen whose telephone number is (571)272-4053. The examiner can normally be reached on 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cabeca can be reached on (571)272-4048. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Cao (Kevin) Nguyen
Primary Examiner
Art Unit 2173

05/29/07